



The mark of responsible forestry

'Look for FSC® certified products'



Street Design

Unit 35 Hayhill Industrial Estate Barrow upon Soar Leicestershire LE12 8LD
01509 815335 sdl@street-design.com www.street-design.com

UK Street Furniture Designers & Manufacturers

SPALDING seating

Spalding versatile seating comprises of timber slatted bench tops with powder coated aluminium end plates that are fitted to powder coated mild steel galvanised legs.

The Spalding range consists of benches and seats with backrests in a wide variety of sizes.

The Spalding seating can be supplied with optional armrests or workstations.

Spalding wall mounted benches can be supplied to be site fixed to the top or the side of a wall.

Spalding planter benches can be supplied fitted to the top or side of Street Design planters.

Spalding seating is suitable for :-

- Long seating
- Wide seating
- Curved seating
- Circular seating
- Planter benches
- Wall mounted benches
- Benches for above or below ground installation

Spalding Benches and Seats

Large and Long Spalding seating

Spalding Planter Benches

Spalding Bench product details

Spalding Seat product details

Spalding Options and Accessories

Spalding Technical Specification

Spalding Care & Maintenance



Spalding circular seat with optional armrests in FSC®-certified treated redwood with a natural finish and galvanised mild steel

SPALDING seating

BENCHES AND SEATS



Unit 35 Hayhill Industrial Estate Barrow upon Soar Leicestershire LE12 8LD
01509 815335 sdl@street-design.com www.street-design.com
UK Street Furniture Designers & Manufacturers

Straight Bench without armrests

Reference: 3VSSP 01
Length: 1795mm
Width: 400mm
Sitting height: (AGL) 450mm
Overall height: (AGL) 450mm



Straight Seat without armrests

Reference: 3VSSP 07
Length: 1795mm
Width: 583mm
Sitting height: (AGL) 450mm
Overall height: (AGL) 857mm



Long Curved Bench without armrests

Reference: 3VSSP 13
Length: 2200mm
Width: 498mm
Sitting height: (AGL) 450mm
Overall height: (AGL) 450mm
Inside radius: 3400mm



Notes

The illustrations shown are a selection of typical examples of the range of products that can be manufactured and supplied.

Straight Bench with armrests

Reference: 3VSSP 02
Length: 1795mm
Width: 400mm
Sitting height: (AGL) 450mm
Overall height: (AGL) 650mm



Straight Seat with armrests

Reference: 3VSSP 08
Length: 1795mm
Width: 583mm
Sitting height: (AGL) 450mm
Overall height: (AGL) 857mm



Long Curved Bench without armrests

Reference: 3VSSP 14
Length: 5321mm
Width: 1713mm
Sitting height: (AGL) 450mm
Overall height: (AGL) 450mm
Inside radius: 2700mm



Spalding versatile seating can be manufactured to suit your specific requirements.

Curved seating can be manufactured to any radius.

All products can be manufactured for above or below ground installation.

Curved Bench without armrests

Reference: 3VSSP 03
Length: 1800mm
Width: 400mm
Sitting height: (AGL) 450mm
Overall height: (AGL) 450mm
Inside radius: 3100mm



Curved Seat without armrests

Reference: 3VSSP 09
Length: 1795mm
Width: 587mm
Sitting height: (AGL) 450mm
Overall height: (AGL) 857mm
Inside radius: 3100mm



Long Curved Bench without armrests

Reference: 3VSSP 15
Length: 6200mm
Width: 3390mm
Sitting height: (AGL) 450mm
Overall height: (AGL) 450mm
Inside radius: 3000mm



All seating can be supplied with optional armrests.

The galvanised mild steel can be supplied with an optional polyester powder coated finish, in a range of RAL colours.

Curved Bench with armrests

Reference: 3VSSP 04
Length: 1800mm
Width: 400mm
Sitting height: (AGL) 450mm
Overall height: (AGL) 650mm
Inside radius: 3100mm



Curved Seat with armrests

Reference: 3VSSP 10
Length: 1795mm
Width: 587mm
Sitting height: (AGL) 450mm
Overall height: (AGL) 857mm
Inside radius: 3100mm



Long Curved S shaped Bench without armrests

Reference: 3VSSP 16
Length: 10542mm
Width: 3000mm
Sitting height: (AGL) 450mm
Overall height: (AGL) 450mm



Spalding versatile products can be used in groups to create multi-use outdoor areas for sitting, eating and working.

Please contact our sales office for more information and assistance with your product requirements.

Short Bench without armrests

Reference: 3VSSP 05
Length: 475mm
Width: 400mm
Sitting height: (AGL) 450mm
Overall height: (AGL) 450mm



Short Table

Reference: 3VSSP 11
Length: 475mm
Width: 400mm
Overall height: (AGL) 700mm



Long Curved S shaped Bench without armrests

Reference: 3VSSP 17
Length: 6557mm
Width: 5349mm
Sitting height: (AGL) 450mm
Overall height: (AGL) 450mm



Wide Bench without armrests

Reference: 3VSSP 06
Length: 1795mm
Width: 800mm
Sitting height: (AGL) 450mm
Overall height: (AGL) 450mm



Long Table

Reference: 3VSSP 12
Length: 1795mm
Width: 800mm
Overall height: (AGL) 700mm



180° Circular Bench without armrests

Reference: 3VSSP 18
Length: 3300mm
Width: 1650mm
Sitting height: (AGL) 450mm
Overall height: (AGL) 450mm
Inside radius: 1250mm




SPALDING seating

LARGE AND LONG SEATING

270° Circular Bench without armrests

Reference: 3VSSP 19
Length: 3600mm
Width: 3200mm
Sitting height: (AGL) 450mm
Overall height: (AGL) 450mm
Inside radius: 1400mm



Elliptical Bench without armrests

Reference: 3VSSP 22
Length: 4000mm
Width: 2400mm
Sitting height: (AGL) 450mm
Overall height: (AGL) 450mm




Inward facing Curved Seat without armrests

Reference: 3VSSP 25
Length: 5358mm
Width: 2950mm
Sitting height: (AGL) 450mm
Overall height: (AGL) 857mm



332° Circular Bench without armrests

Reference: 3VSSP 20
Length: 3800mm
Width: 3800mm
Sitting height: (AGL) 450mm
Overall height: (AGL) 450mm
Inside radius: 1500mm



Long Straight Seat without armrests

Reference: 3VSSP 23
Length: 2350mm
Width: 584mm
Sitting height: (AGL) 450mm
Overall height: (AGL) 857mm




Outward facing Curved Seat without armrests

Reference: 3VSSP 26
Length: 5138mm
Width: 2235mm
Sitting height: (AGL) 450mm
Overall height: (AGL) 857mm



360° Circular Bench without armrests

Reference: 3VSSP 21
Length: 3000mm
Width: 3000mm
Sitting height: (AGL) 450mm
Overall height: (AGL) 450mm
Inside radius: 1100mm



Outward facing Square Seat with armrests

Reference: 3VSSP 24
Length: 2953mm
Width: 2953mm
Sitting height: (AGL) 450mm
Overall height: (AGL) 857mm



Circular Seat without armrests

Reference: 3VSSP 27
Length: 2000mm
Width: 2000mm
Sitting height: (AGL) 450mm
Overall height: (AGL) 857mm
Outside radius: 1000mm



Notes

The illustrations shown are a selection of typical examples of the range of products that can be manufactured and supplied.

Spalding versatile seating can be manufactured to suit your specific requirements.

Curved seating can be manufactured to any radius.

All products can be manufactured for above or below ground installation.

All seating can be supplied with optional armrests.

The galvanised mild steel can be supplied with an optional polyester powder coated finish, in a range of RAL colours.


Spalding versatile products can be used in groups to create multi-use outdoor areas for sitting, eating and working.

Please contact our sales office for more information and assistance with your product requirements.

SPALDING seating

SPALDING PLANTER BENCHES


Other sizes and shapes available



SSP PB S3M
Spalding straight planter benches

Length: 1465mm x 2 and 2290mm x 1
Width: 390mm
Sitting height: 450mm
Planter length: 1390mm
Planter width: 1390mm


Available with optional armrests



SSP PB R1L
Spalding straight planter bench

Length: 1960mm x 1
Width: 400mm
Sitting height: 450mm
Planter length: 2000mm


Available with optional armrests



SSP PB H30
Spalding straight benches

Length: 970mm x 3
Width: 400mm
Sitting height: 450mm
Planter walling length: 1000mm


Available with optional armrests



SP PB O8M
Spalding straight planter benches

Length: 1048mm x 8
Width: 390mm
Sitting height: 450mm
Planter walling length: 828mm


Available with optional armrests



SSP PB C360
Spalding circular bench

Length: 7540mm x 1
Width: 390mm
Sitting height: 450mm


Available with optional armrests



SSP PB SC1C
Spalding curved bench

Length: 3750mm x 1
Width: 390mm
Sitting height: 450mm

Available with optional armrests



SSP PB E2
Spalding curved benches

Length: 2957mm x 2
Width: 390mm
Sitting height: 450mm


Available with optional armrests



SSP PB NS1
Spalding long straight bench

Length: 5920mm x 1
Width: 390mm
Sitting height: 450mm

Available with optional armrests



SSP PB NS2
Spalding long straight and curved bench

Length: 5920mm x 1
Width: 390mm
Sitting height: 450mm

Available with optional armrests



Unit 35 Hayhill Industrial Estate Barrow upon Soar Leicestershire LE12 8LD
01509 815335 sdl@street-design.com www.street-design.com
UK Street Furniture Designers & Manufacturers

Notes

The illustrations shown are a selection of typical examples of the range of planters with Spalding benches that can be manufactured and supplied.

Spalding planter benches can be manufactured to suit your specific requirements.

Curved planter benches can be manufactured to most radii. Check your details with our technical department.

All Spalding planter benches can be supplied with optional armrests.

The galvanised mild steel components can be supplied with an optional polyester powder coated finish, in a range of RAL colours.

Please contact our sales office for more information and assistance with your specific requirements.



SPALDING seating

BENCH - PRODUCT DETAILS

Spalding bench without back

The Spalding bench consists of front to back bench slats, bolted onto a mild steel frame with tubular mild steel legs. Benches can be straight, curved or a combination of both. The bench is available with a choice of materials and finishes to suit your scheme and budget.

Materials

Slats - can be either FSC®-certified treated redwood, FSC®-certified hardwood or mild steel RHS.
Frames and legs - will be fully welded mild steel.

Finishes

Timber - as standard, will be supplied with a natural finish.
Stained finish is available on request.
Mild steel - as standard, will be supplied with a hot dip galvanised finish.
After galvanising, a polyester powder coated finish is available on request.

Options

Choose whether the bench is to be straight or curved, the bench lengths, curved bench radius, material, finishes and installation type.

Accessories

Optional armrests available on request.

Delivery

Depending on the size or complexity, the benches will be factory assembled and delivered to site fully assembled, for off loading and placing in position.



Street Design

Unit 35 Hayhill Industrial Estate Barrow upon Soar Leicestershire LE12 8LD
01509 815335 sdl@street-design.com www.street-design.com

UK Street Furniture Designers & Manufacturers





Spalding straight bench, in natural finish
FSC®-certified hardwood slats with galvanised frame and legs




Spalding curved bench, in natural finish
FSC®-certified treated redwood slats with galvanised frame and legs

Overall dimensions




The standard Spalding straight bench will be 1795mm long. Other lengths can be supplied on request.



The standard Spalding curved bench will have an internal radius of 3100mm. Other radii can be supplied on request.


Installation options

Spalding straight and curved benches can be supplied for installation above or below finished ground level.



Above ground installation

The assembled Spalding bench will be secured to the finished ground level with suitable fixings for the surface type.



Below ground installation

The assembled Spalding bench will be set into concrete foundations 500x400x400mm deep.

SPALDING seating

SEAT - PRODUCT DETAILS

Spalding seat with back

The Spalding seat consists of front to back seat slats, bolted onto a mild steel frame with tubular mild steel legs. Seats can be straight, curved or a combination of both. The seat is available with a choice of materials and finishes to suit your scheme and budget.

Materials

Slats - can be either FSC®-certified treated redwood, FSC®-certified hardwood or mild steel RHS.
Frames and legs - will be fully welded mild steel.

Finishes

Timber - as standard, will be supplied with a natural finish.
Stained finish is also available.
Mild steel - as standard, will be supplied with a hot dip galvanised finish.
After galvanising, a polyester powder coated finish is also available.

Options

Choose whether the seat is to be straight or curved, the bench lengths, curved seat radius, material, finishes and installation type.

Accessories

Optional armrest available on request.

Delivery

Depending on the size or complexity, the seats will be factory assembled and delivered to site fully assembled, for off loading and placing in position.



Unit 35 Hayhill Industrial Estate Barrow upon Soar Leicestershire LE12 8LD
01509 815335 sdl@street-design.com www.street-design.com
UK Street Furniture Designers & Manufacturers




Spalding straight seat, in natural finish
FSC®-certified treated redwood slats with galvanised frame and legs




Spalding curved seat, in natural finish
FSC®-certified hardwood slats with optional powder coated frame, legs and armrest

Installation options

Spalding straight and curved seats can be supplied for installation above or below finished ground level





Above ground installation
The assembled Spalding seat will be secured to the finished ground level with suitable fixings for the surface type.



Below ground installation
The assembled Spalding seat will be set into concrete foundations 500x400x350mm deep.


Overall dimensions



The standard Spalding straight seat will be 1795mm long. Other lengths can be supplied on request.



The standard Spalding curved seat will have an internal radius of 3100mm. Other radii can be supplied on request.



SPALDING seating

OPTIONS AND ACCESSORIES

Planter benches

Spalding seating is ideally suited for a range of integral planter benches.


The 145x45mm FSC®-certified bench slats are bolted to galvanised mild steel frames and brackets, fixed to the planter.

The bench slats can be supplied for straight, curved and circular planters.

As shown opposite the galvanised mild steel frames and brackets can be supplied with an optional polyester powder coated finish to the colour of your choice.



Spalding straight planter bench fitted to side of planter




Spalding circular planter bench fitted to side of planter



Special shaped Spalding curved planter bench fitted to side of planter

Typical Spalding planter benches



square planter with benches on 3 sides

rectangular planter with bench on long side

long planters with straight bench on long side

octagonal planter with benches all round

hexagonal planter with benches on 3 sides

circular planter with complete circular bench

semi-circular planter with semi-circular bench

elliptical planter with curved benches

irregular shaped planter with curved and straight bench



Unit 35 Hayhill Industrial Estate Barrow upon Soar Leicestershire LE12 8LD
01509 815335 sdl@street-design.com www.street-design.com
UK Street Furniture Designers & Manufacturers

Optional finish

The galvanised mild steel frames and legs can be supplied with an optional polyester powder coated finish. They can be supplied to the RAL colour of your choice.



Frame and legs polyester powder coated RAL 9005 - black

Special sizes and shapes

Spalding seating can be manufactured to specific lengths, widths and radius to suit your particular requirements.



Special straight and curved long Spalding seat

Optional armrest

Spalding seating can be supplied with an integral armrest on request. The armrest comprises of mild steel with a bolted timber top.

As standard the timber top will be left natural. Stained finish is available on request.

As standard the mild steel will be hot dip galvanised. A powder coated finish is available on request.



Straight bench with optional armrests and polyester powder coated finish

SPALDING seating

TECHNICAL SPECIFICATION

Construction

The Spalding seating design is suitable for straight seating, curved seating or seating consisting of both straight and curved. The design consists of front to back, slatted bench or seat slats bolted onto a metal frame.

The timber bench and seat slats are manufactured using FSC®-certified timber. The slats are 145x45mm section.

The mild steel frames are manufactured from 45x10 and 25x5mm flat.

The mild steel frames are bolted to tubular mild steel legs. The tubular legs are 88.9mm mild steel CHS with 45x10mm mild steel flat.

Assembly

Depending on the size, Spalding benches and seats are delivered to site fully assembled for off-loading, ready for installation.

Dimensions

Plan dimensions:

Bench 1800mm long x 400mm overall width.

Seat 1800mm long x 633mm overall width.

Other lengths are available on request.

Overall height (above FGL):

Bench 450mm

Seat 768mm (to top of back slat)

Sitting height (above FGL):

Bench 450mm high.

Seat 400mm high.

Materials

Timber slats

The bench and seat slats are manufactured using either FSC®-certified treated European redwood or FSC-certified hardwood.

Frames and legs

The bench frames and legs are manufactured from mild steel.

Materials - continued

Fixings

All fixings will be mild steel M10 size and have a bright zinc plated finish.

Security Fixing

All bolts will be fitted with a grey plastic cap to prevent unwanted removal.

Options

Spalding benches and seats are manufactured to order. Before we can manufacture the seating, we need to know the following :-

- Straight or curved
- Seating radius
- Seating lengths
- Materials
- Material finishes
- Accessories required
- Installation type required

Guarantee

All seats and benches are guaranteed for 15 years.

Product prices

Contact our Sales Office on 01509 815335 for Spalding seating prices delivered to site.

General specification

Construction

All Street Design products are designed and manufactured using only quality, durable materials, construction details and fixings, to provide a long-lasting, durable product with a good life expectancy.

Assembly

Unless otherwise stated all Spalding seating products will be supplied fully assembled, ready for off-loading and installing.

Timber policy

All timber products are manufactured using materials obtained from growers who operate under the Forest Stewardship Council (FSC®).

Materials

Hardwood products are constructed from FSC®-certified hardwood, from sustainable sources.

Softwood products are constructed from FSC®-certified pressure treated redwood, from sustainable sources.

All mild steel fabricated components will be hot dip galvanised after fabrication to BS EN ISO 1461:2009.

All mild steel fixings will be bright zinc plated.

Finishes

As standard, the FSC®-certified timber slats will be left natural to reduce the need for re-staining and help reduce maintenance costs. Stained finish is available on request.

As standard, the mild steel components will be left with a galvanised finish. After galvanising, a polyester powder coated finish is available on request, to the colour of your choice.



Part circular bench during manufacture



Large curved benches during manufacture

SPALDING seating

CARE & MAINTENANCE



Unit 35 Hayhill Industrial Estate Barrow upon Soar Leicestershire LE12 8LD
01509 815335 sdl@street-design.com www.street-design.com
UK Street Furniture Designers & Manufacturers

General

All Spalding seating products are manufactured using high quality materials, treatments and finishes. The timber slats are manufactured from either FSC®-certified treated redwood or FSC®-certified hardwood. The fully welded mild steel legs and armrests will be hot dip galvanised after fabrication. The fully welded stainless steel will be supplied with a dull polished finish. All products require a varied amount of maintenance, depending on the environment, usage and weather conditions. Natural timber, galvanised steel and stainless steel will only require cleaning. In time, stained timber and powder coated mild steel will require re-coating.


Maintaining the standard FSC®-certified treated redwood finish

Natural finish treated redwood can be washed down with a mild detergent. More stubborn surface marks can be removed with a light, hand sand with a 120 grit, or higher grade sandpaper. Excessive sanding should be avoided.



Maintaining the optional FSC®-certified treated redwood finish

Stained, treated redwood will need to be re-coated after a period of time. The stain can either start to fade, become dull (oxidised) or incur some surface break up. Lightly sand down the timber using a 120 grit, or higher grade sandpaper. We recommend that the timber is re-stained with the original stain colour and manufacturer. Details can be obtained from Street design Limited. Apply the stain evenly, with brush strokes running parallel with the woodgrain, in thin layers, building up the finish as recommended by the stain manufacturer.



Maintaining the standard FSC®-certified hardwood finish

Natural finish hardwood can be washed down with a mild detergent. More stubborn surface marks can be removed with a light, hand sand with a 120 grit, or higher grade sandpaper. Excessive sanding should be avoided.



Maintaining the optional FSC®-certified hardwood finish

Stained hardwood will need to be re-coated after a period of time. The stain can either start to fade, become dull (oxidised) or incur some surface break up. Lightly sand down the timber using a 120 grit, or higher grade sandpaper. We recommend that the timber is re-stained with the original stain colour and manufacturer. Details can be obtained from Street design Limited. Apply the stain evenly, with brush strokes running parallel with the woodgrain, in thin layers, building up the finish as recommended by the stain manufacturer.



Maintaining the standard mild steel finish

Hot dip galvanised mild steel is a very durable and hard wearing finish. Dirt can be washed off with warm water and a mild detergent. Always use clean water and cleaning cloths to avoid surface contamination. After cleaning, any severe marks can be over painted with a cold galvanised, (zinc rich) aerosol spray.



Maintaining the optional mild steel finish

Polyester powder coated finishes should be washed down with clean warm water and a mild detergent. Minor touching up can be done with an aerosol to match the original powder coated colour. Details can be obtained from Street Design Limited. More severe damage can be repaired by sanding down, by manual or mechanical means, beyond the damaged area, sufficiently far as to ensure that any step in the powder coated finish is removed. This will ensure that after re-finishing the repair will be difficult to detect.

